

**Report No. G26030003142**

Principal : MR. ANGGA PRASETYO
Subject : said to be " *Mitragyna Speciosa / Kratom* "
Tested for : Mitragynine, E. Coli, salmonella, Lead as Pb,
Cadmium as Cd, Mercury as Hg, Arsenic as As
Sample ID : SG-AD
Green - Powder
Received Date : February 27, 2026
Report Date : March 09, 2026
Purchase Order : Pre-paid Cash

Test Result

Characteristic	Result	Units	Analyzed	Method	Notes
Mitragynine Content					
Mitragynine	: 1,66	%	2026-02-28	in house method by HPLC	
Microbiology					
E. Coli	: NEGATIVE	APM / 100 g	2026-03-09	in house method	
salmonella	: NEGATIVE	colony/g	2026-03-09	in house method	
Chemical / Heavy Metal					
Lead as Pb	: 0,070	mg/Kg	2026-03-09	in house methode by AAS	
Cadmium as Cd	: 0,035	mg/Kg	2026-03-09	in house methode by AAS	
Mercury as Hg	: 0,010	mg/Kg	2026-03-09	in house methode by AAS	
Arsenic as As	: 0,010	mg/Kg	2026-03-09	in house methode by AAS	



perusda ANEKA USAHA
Provinsi Kalimantan Barat



Approved Signatory

Abdul Mazlan
General Lab Manager

Jl. Slt. Abdurrahman No.103,
Kel. Sungai Bangkong, Kec. Pontianak Kota,
Kota Pontianak, Kalimantan Barat 78113

Test result relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of Perusda Aneka Usaha quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.